



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden
estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2017 – June 30, 2018

Filing Confirmation Number: 0008284559

Filing Deadline: July 16, 2018

FRN: 0018939488

Filing Date: 07/15/2018 08:29 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period?
No

Date that you ceased to be a small entity?

Company Information

Company Name: LG Electronics MobileComm USA, Inc.

Brand Names: LG

PO Box:

Street Address: 1000 Sylvan Avenue

City: Englewood Cliffs

State: NJ

Zip Code: 07632

Contact Name: Kyung-Su Han

Contact Phone: (120) 126-6221

Contact Fax: (120) 181-6200

Contact Email: kyungsu.han@lge.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are

capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19–2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19–2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19–2011 for one or more operations that are not covered under ANSI C63.19–2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE or Wi-Fi Calling, and that were certified for inductive coupling capability under ANSI C63.19–2011 without being tested for inductive coupling capability over Voice over LTE or Wi-Fi Calling, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address: <http://www.lg.com/us/accessibility/mobile/accessibility-hacphones>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: 1. We had Annual Accessibility Advisory Board meeting in Washington DC with representatives with disabilities from several accessibility organizations representing blind, hard of hearing and deaf users were invited to observe

and evaluate LG product development efforts.

2. We attended CSUN Assistive Technology Conference and interacted with individuals with disabilities, receiving feedback about consumer needs and LG products.

3. We attended TCBC workshop two times to track HAC test procedure and policy changes or updates.

4. We have been getting T-coil certification for VoLTE, VoWiFi(CMRS) and OTT applications since it was effective.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 22

Report Remarks

22 models based on FCC ID have been tested and certified during the reporting period.

You have reported the following handset model summary information.

Total number of handsets offered: 68

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	58	100%					58
CDMA	39	100%					39
WCDMA	57	100%					57
LTE	65	100%					65
Wi-Fi	65	100%					65
Bluetooth	68	100%					68

Handset 1: LG LG-AN170

Handset Maker

LG

Handset Model Name

FCC ID

LG-AN170	ZNFVN170
LG-UN170	ZNFVN170
LG-UN170PP	ZNFVN170
LG-VN170	ZNFVN170

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 04/18/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/18/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LG-AN170: LGAN170
- LG-UN170: LG Envoy III
- LG-UN170PP: LG Envoy III
- LG-VN170: LG Revere 3

Handset 2: LG LG-AS110

Handset Maker

LG

Handset Model Name

FCC ID

LG-AS110

ZNFAS110

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 02/23/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/23/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: LG K3 4G LTE

Handset 3: LG LG-AS375

Handset Maker

LG

Handset Model Name

LG-AS375

FCC ID

ZNFUS375

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 09/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/04/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/04/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG K8

Handset 4: LG LG-AS992

Handset Maker

LG

Handset Model Name

LG-AS992

FCC ID

ZNFLS992

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 07/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/15/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/15/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: G5

Handset 5: LG LG-AS993

Handset Maker

LG

Handset Model Name

FCC ID

LG-AS993

ZNFLS993

LG-LS993

ZNFLS993

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 02/27/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by

enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/27/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LG-AS993: G6

- LG-LS993: LG G6

Handset 6: LG LG-AS998

Handset Maker

LG

Handset Model Name

FCC ID

LG-AS998

ZNFLS998

LG-LS998

ZNFLS998

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 10/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 09/01/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by

enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/01/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LG-AS998: V30

- LG-LS998: LG V30 Plus

Handset 7: LG LG-G710PM

Handset Maker

LG

Handset Model Name

LG-G710PM

FCC ID

ZNFG710VM

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

5.0 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 05/18 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 05/02/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/02/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG G7

Handset 8: LG LG-H700

Handset Maker

LG

Handset Model Name

LG-H700

FCC ID

ZNFH700

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 03/29/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/29/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG X Venture

Handset 9: LG LG-H871

Handset Maker

LG

Handset Model Name

FCC ID

LG-H871

ZNFH871

LG-H872

ZNFH871

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 02/27/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/27/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG G6

Handset 10: LG LG-H910

Handset Maker

LG

Handset Model Name

LG-H910

FCC ID

ZNFH910

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 07/17 to 12/17

Ratings

M-Rating: M4

M-Rating Certification Date: 09/07/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/07/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG V20

Handset 11: LG LG-H918

Handset Maker

LG

Handset Model Name

LG-H918

FCC ID

ZNFH918

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 11/17

Ratings

M-Rating: M4

M-Rating Certification Date: 09/07/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/07/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG V20

Handset 12: LG LG-H931

Handset Maker

LG

Handset Model Name

FCC ID

LG-H931	ZNFV30A
LG-US998	ZNFV30A
LG-US998R	ZNFV30A
LG-US998U	ZNFV30A
LG-VS996	ZNFV30A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 09/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 09/01/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by

no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/01/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LG-H931: LG V30
- LG-US998: V30
- LG-US998R: LG V30S ThinQ
- LG-US998U: V30 Plus
- LG-VS996: LG V30

Handset 13: LG LG-H932

Handset Maker

LG

Handset Model Name

LG-H932

FCC ID

ZNFH932

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi
600 MHz LTE

Dates

This handset model was offered from: 09/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 09/01/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/01/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG V30

Handset 14: LG LG-K425

Handset Maker

LG

Handset Model Name

LG-K425

FCC ID

ZNFK425

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 08/17

Ratings

M-Rating: M3

M-Rating Certification Date: 05/02/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/02/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG K10

Handset 15: LG LG-K450

Handset Maker

LG

Handset Model Name

LG-K450

FCC ID

ZNFK210

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 07/17

Ratings

M-Rating: M3

M-Rating Certification Date: 05/23/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/23/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG X Power

Handset 16: LG LG-LS777

Handset Maker

LG

Handset Model Name

LG-LS777

FCC ID

ZNFLS777

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 01/19/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/19/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Stylo 3

Handset 17: LG LG-LS997

Handset Maker

LG

Handset Model Name

LG-LS997

FCC ID

ZNFLS997

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 10/17

Ratings

M-Rating: M4

M-Rating Certification Date: 09/07/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/07/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG V20

Handset 18: LG LG-M150

Handset Maker

LG

Handset Model Name

FCC ID

LG-M150	ZNFM150
LG-M153	ZNFM150
LG-M154	ZNFM150

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 12/13/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by

enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/13/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LG-M150: LG Phoenix 3

- LG-M153/LG-M154: LG Fortune

Handset 19: LG LG-M210

Handset Maker

LG

Handset Model Name

FCC ID

LG-M210

ZNFM210

LGMS210

ZNFM210

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 05/18

Ratings

M-Rating: M3

M-Rating Certification Date: 11/18/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/18/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: Aristo

Handset 20: LG LG-M255

Handset Maker

LG

Handset Model Name

LG-M255

FCC ID

ZNFM255

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 03/31/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/31/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG K20

Handset 21: LG LG-M322

Handset Maker

LG

Handset Model Name

LG-M322

FCC ID

ZNFM322

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 05/18

Ratings

M-Rating: M3

M-Rating Certification Date: 05/12/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/12/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG X Change

Handset 22: LG LG-MP260

Handset Maker

LG

Handset Model Name

FCC ID

LG-MP260

ZNFTP260

LG-TP260

ZNFTP260

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 12/23/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/23/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG K20 PLUS

Handset 23: LG LG-RS501

Handset Maker

LG

Handset Model Name

FCC ID

LG-RS501

ZNFVS501

LG-VS501

ZNFVS501

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 01/20/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by

enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/20/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LG-RS501: LG K20
- LG-VS501: LG K20 V

Handset 24: LG LG-RS988

Handset Maker

LG

Handset Model Name

FCC ID

LG-RS988

ZNFVS987

LG-VS987T

ZNFVS987

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 10/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/15/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by

enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/15/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LG-RS988: G5

- LG-VS987T: LG G5

Handset 25: LG LG-SP200

Handset Maker

LG

Handset Model Name

FCC ID

LG-SP200

ZNFSP200

LM-X210ULMA

ZNFSP200

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

Dates

This handset model was offered from: 12/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 10/27/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by

enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/27/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LG-SP200: Tribute Dynasty
- LM-X210ULMA: K8 2018

Handset 26: LG LG-SP320

Handset Maker

LG

Handset Model Name

FCC ID

LG-SP320

ZNFSP320

LG-US601

ZNFSP320

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 09/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 08/18/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by

enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/18/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LG-SP320: X Charge

- LG-US601: LG X Charge

Handset 27: LG LG-UN220

Handset Maker

LG

Handset Model Name

LG-UN220

FCC ID

ZNFUN220

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

Dates

This handset model was offered from: 10/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 07/18/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/18/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG WINE LTE

Handset 28: LG LG-US110

Handset Maker

LG

Handset Model Name

LG-US110

FCC ID

ZNFUS110

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 05/18

Ratings

M-Rating: M4

M-Rating Certification Date: 02/01/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/01/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG K3

Handset 29: LG LG-US215

Handset Maker

LG

Handset Model Name

LG-US215

FCC ID

ZNFUS215

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 05/18

Ratings

M-Rating: M4

M-Rating Certification Date: 12/21/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 12/21/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG K8 2017

Handset 30: LG LG-US610

Handset Maker

LG

Handset Model Name

LG-US610

FCC ID

ZNFUS610

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 11/17

Ratings

M-Rating: M3

M-Rating Certification Date: 06/21/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/21/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG X power

Handset 31: LG LG-US700

Handset Maker

LG

Handset Model Name

LG-US700

FCC ID

ZNFM703

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 11/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 08/10/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/10/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Q6

Handset 32: LG LG-US701

Handset Maker

LG

Handset Model Name

LG-US701

FCC ID

ZNFUS701

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 03/27/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/27/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Q6

Handset 33: LG LG-US996

Handset Maker

LG

Handset Model Name

FCC ID

LG-US996

ZNFVS995

LG-VS995

ZNFVS995

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 12/17

Ratings

M-Rating: M4

M-Rating Certification Date: 09/07/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/07/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG V20

Handset 34: LG LG-US997

Handset Maker

LG

Handset Model Name

FCC ID

LG-US997	ZNFVS988
LG-US997U	ZNFVS988
LG-VS988	ZNFVS988
LG-VS988T	ZNFVS988

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 02/27/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/27/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LG-US997: G6
- LG-US997U: G6 Plus
- LG-VS988: LG G6
- LG-VS988T: LG G6

Handset 35: LG LG-VN210

Handset Maker

LG

Handset Model Name

FCC ID

LG-VN210

ZNFDVN210

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 10/17

Ratings

M-Rating: M4

M-Rating Certification Date: 05/18/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/18/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Terra

Handset 36: LG LG-VN220

Handset Maker

LG

Handset Model Name

LG-VN220

FCC ID

ZNFVN220

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 03/17/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/17/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Exalt LTE

Handset 37: LG LG-VS425LPP

Handset Maker

LG

Handset Model Name

LG-VS425LPP

FCC ID

ZNFVS425PP

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE

1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 03/18

Ratings

M-Rating: M4

M-Rating Certification Date: 12/10/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/10/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Zone 3

Handset 38: LG LG-VS500PP

Handset Maker

LG

Handset Model Name

LG-VS500PP

FCC ID

ZNFVS500

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 03/18

Ratings

M-Rating: M3

M-Rating Certification Date: 04/12/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/12/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG K8 V

Handset 39: LG LG-VS835

Handset Maker

LG

Handset Model Name

FCC ID

LG-VS835

ZNFVS835

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 07/21/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/21/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Stylo2 V

Handset 40: LG LG-B460

Handset Maker

LG

Handset Model Name

FCC ID

LG-B460

ZNFB460

LG-B470

ZNFB460

LG442BG

ZNFB460

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 06/20/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by

no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/20/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LGB442BG: LGB442BG
- LG-B460: LG True
- LG-B470: LG B470

Handset 41: LG LGL157BL

Handset Maker

LG

Handset Model Name

FCC ID

LGL157BL

ZNFL57BL

LGL57BL

ZNFL57BL

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 12/14/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by

enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/14/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LGL157BL: LG Rebel 3 LTE
- LGL57BL: LG Rebel 2

Handset 42: LG LGL158VL

Handset Maker

LG

Handset Model Name

FCC ID

LGL158VL

ZNFL58VL

LGL58VL

ZNFL58VL

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 12/30/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by

enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/30/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LGL158VL: LG Rebel 3 LTE
- LGL58VL: LG Rebel 2

Handset 43: LG LG-M327

Handset Maker

LG

Handset Model Name

FCC ID

LG-M327	ZNFL63BL
LGL163BL	ZNFL63BL
LGL63BL	ZNFL63BL

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 01/11/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by

no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/11/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LGL163BL: LG Fiesta 2
- LGL63BL: LG Fiesta
- LG-M327: LG X Change

Handset 44: LG LGL164VL

Handset Maker

LG

Handset Model Name

FCC ID

LGL164VL

ZNFL64VL

LGL64VL

ZNFL64VL

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 02/18

Ratings

M-Rating: M4

M-Rating Certification Date: 01/06/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/06/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Fiesta

Handset 45: LG LGL51AL

Handset Maker

LG

Handset Model Name

LGL51AL

FCC ID

ZNFK330

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 07/17

Ratings

M-Rating: M3

M-Rating Certification Date: 12/16/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/16/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Treasure

Handset 46: LG LG-M257

Handset Maker

LG

Handset Model Name

FCC ID

LG-M257

ZNFL59BL

LGL59BL

ZNFL59BL

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 05/18

Ratings

M-Rating: M3

M-Rating Certification Date: 12/19/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by

enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/19/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LGL59BL: LG Grace

- LG-M257: LG Harmony

Handset 47: LG LG-M430

Handset Maker

LG

Handset Model Name

FCC ID

LG-M430

ZNFL83BL

LGL83BL

ZNFL83BL

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 12/21/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/21/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Stylo3

Handset 48: LG LGL84VL

Handset Maker

LG

Handset Model Name

LGL84VL

FCC ID

ZNFL84VL

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 02/09/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/09/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Stylo 3

Handset 49: LG LGLS450

Handset Maker

LG

Handset Model Name

LGLS450

FCC ID

ZNFLS450

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 07/17 to 08/17

Ratings

M-Rating: M3

M-Rating Certification Date: 05/09/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/09/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG K3

Handset 50: LG LGLS676

Handset Maker

LG

Handset Model Name

LGLS676

FCC ID

ZNFLS676

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 07/17 to 03/18

Ratings

M-Rating: M3

M-Rating Certification Date: 07/29/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/29/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: Tribute HD

Handset 51: LG LGLS755

Handset Maker

LG

Handset Model Name

FCC ID

LGLS755

ZNFLS755

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM

1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 07/17 to 10/17

Ratings

M-Rating: M3

M-Rating Certification Date: 07/15/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/15/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: X Power

Handset 52: LG LG-TP450

Handset Maker

LG

Handset Model Name

FCC ID

LG-TP450

ZNFTP450

LGMP450

ZNFTP450

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 05/18

Ratings

M-Rating: M3

M-Rating Certification Date: 04/03/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/03/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Stylus 3

Handset 53: LG LM-G710TM

Handset Maker

LG

Handset Model Name

LM-G710TM

FCC ID

ZNFG710TM

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz LTE
5.0 GHz Wi-Fi
600 MHz LTE
2300 MHz LTE

Dates

This handset model was offered from: 05/18 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 05/02/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/02/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG G7 ThinQ

Handset 54: LG LM-G710ULM

Handset Maker

LG

Handset Model Name

LM-G710ULM

FCC ID

ZNFG710VM

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 05/18 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 05/02/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/02/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG G7 ThinQ

Handset 55: LG LM-G710VM

Handset Maker

LG

Handset Model Name

FCC ID

LM-G710VM

ZNFG710VM

LM-G710VMP

ZNFG710VM

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 05/18 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 05/02/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/02/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG G7 ThinQ

Handset 56: LG LM-Q710CS

Handset Maker

LG

Handset Model Name

LM-Q710CS

FCC ID

ZNFQ710CS

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 06/18 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 05/30/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/30/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Stylo 4

Handset 57: LG LM-Q710TS

Handset Maker

LG

Handset Model Name

LM-Q710TS

FCC ID

ZNFQ710TS

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi
600 MHz LTE

Dates

This handset model was offered from: 06/18 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 04/19/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/19/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Stylo 4

Handset 58: LG LM-V350AWM

Handset Maker

LG

Handset Model Name

LM-V350AWM

FCC ID

ZNFV350A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz LTE
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 05/18 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 04/27/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/27/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG V35 ThinQ

Handset 59: LG LM-X210CM

Handset Maker

LG

Handset Model Name

FCC ID

LM-X210CM	ZNFX210APM
LM-X210CMR	ZNFX210APM
LM-X210ULMG	ZNFX210APM

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/18 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 01/12/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by

no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/12/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LM-X210CM: LG Fortune2
- LM-X210CMR: LG Fortune2
- LM-X210ULMG: K8 2018

Handset 60: LG LM-X210MA

Handset Maker

LG

Handset Model Name

LM-X210MA

FCC ID

ZNFX210MA

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/18 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 10/12/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/12/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: Aristo 2

Handset 61: LG LM-X210ULM

Handset Maker

LG

Handset Model Name

LM-X210ULM

FCC ID

ZNFX210ULM

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/18 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 02/05/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/05/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: K8 2018

Handset 62: LG LM-X210VPP

Handset Maker

LG

Handset Model Name

LM-X210VPP

FCC ID

ZNFX210VPP

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/18 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 12/28/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/28/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Zone4

Handset 63: LG LM-X212TA

Handset Maker

LG

Handset Model Name

LM-X212TA

FCC ID

ZNFX212TA

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
600 MHz LTE

Dates

This handset model was offered from: 04/18 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 03/28/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/28/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: Aristo 2 Plus

Handset 64: LG LM-X410AS

Handset Maker

LG

Handset Model Name

LM-X410AS

FCC ID

ZNFX410AS

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 06/18 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 05/24/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/24/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG K30

Handset 65: LG LM-X410TK

Handset Maker

LG

Handset Model Name

LM-X410TK

FCC ID

ZNFX410TK

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi
600 MHz LTE

Dates

This handset model was offered from: 04/18 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 04/10/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/10/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG K30

Handset 66: LG LM-X410ULML

Handset Maker

LG

Handset Model Name

FCC ID

LM-X410ULML

ZNFX410UM

LM-X410UM

ZNFX410UM

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 05/18 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 03/28/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/28/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: K30

Handset 67: LG LM-X410ULMG

Handset Maker

LG

Handset Model Name

FCC ID

LM-X410ULMG

ZNFL413DL

LML413DL

ZNFL413DL

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 02/18 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 12/29/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by

enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/29/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name

- LML413DL: LG PREMIER PRO
- LM-X410ULMG: K30

Handset 68: LG LML713DL

Handset Maker

LG

Handset Model Name

LML713DL

FCC ID

ZNFL713DL

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
600 MHz LTE

Dates

This handset model was offered from: 05/18 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 04/18/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/18/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing Name: LG Stylo 4

Certification

This Report has been certified by:

Kyung-Su Han Team Leader
07/15/2018 08:29 PM